

L Number	Hits	Search Text	DB	Time stamp
1	1	6,495,886 B1.pn.	USPAT; EPO; JPO	2003/12/27 17:48
-	1231	(electroluminescence or EL) adj display adj device	USPAT; EPO; JPO	2003/12/27 17:26
-	136	(electroluminescence or EL) adj display adj device and transparent adj substrate	USPAT; EPO; JPO	2003/12/22 14:35
-	130	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1	USPAT; EPO; JPO	2003/12/22 14:35
-	37	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and (electroluminescence or EL) adj layer	USPAT; EPO; JPO	2003/12/22 14:36
-	8	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer	USPAT; EPO; JPO	2003/12/24 09:34
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and packag\$5	USPAT; EPO; JPO	2003/12/22 14:38
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and protrusion	USPAT; EPO; JPO	2003/12/22 14:38
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and protrusion	USPAT; EPO; JPO	2003/12/22 14:38
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and second adj electrode\$1 and protrusion	USPAT; EPO; JPO	2003/12/22 14:38
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and absorber	USPAT; EPO; JPO	2003/12/22 14:39
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and absorber	USPAT; EPO; JPO	2003/12/22 14:39
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and protrusion	USPAT; EPO; JPO	2003/12/22 14:40
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and protrusion and packag\$4	USPAT; EPO; JPO	2003/12/22 14:44
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and protrusion and plate	USPAT; EPO; JPO	2003/12/22 14:44
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and packag\$5	USPAT; EPO; JPO	2003/12/22 14:44

-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and semi-transparent	USPAT; EPO; JPO	2003/12/22 14:45
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and semitransparent	USPAT; EPO; JPO	2003/12/22 14:45
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and semi and transparent	USPAT; EPO; JPO	2003/12/22 14:45
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and film	USPAT; EPO; JPO	2003/12/23 16:02
-	4	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate	USPAT; EPO; JPO	2003/12/24 08:46
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate	USPAT; EPO; JPO	2003/12/24 08:47
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber	USPAT; EPO; JPO	2003/12/22 16:03
-	4	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and protrusion	USPAT; EPO; JPO	2003/12/22 16:04
-	7	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1	USPAT; EPO; JPO	2003/12/24 08:40
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential	USPAT; EPO; JPO	2003/12/24 10:59
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and plate	USPAT; EPO; JPO	2003/12/22 16:29
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and absorber	USPAT; EPO; JPO	2003/12/22 16:29
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and semi-transparent	USPAT; EPO; JPO	2003/12/22 16:29
-	116	(electroluminescence or EL) adj display adj device and first adj electrode\$1	USPAT; EPO; JPO	2003/12/22 16:30
-	108	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1	USPAT; EPO; JPO	2003/12/22 16:31
-	54	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3	USPAT; EPO; JPO	2003/12/22 16:31
-	7	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential	USPAT; EPO; JPO	2003/12/22 16:31

-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and protrusion	USPAT; EPO; JPO	2003/12/22 16:32
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and absorber	USPAT; EPO; JPO	2003/12/22 16:32
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and adhes\$4	USPAT; EPO; JPO	2003/12/22 16:33
-	1	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4	USPAT; EPO; JPO	2003/12/24 10:46
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 adj dispose\$3 adj sequential\$4	USPAT; EPO; JPO	2003/12/22 16:35
-	2	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 adj sequential\$4	USPAT; EPO; JPO	2003/12/22 16:36
-	7	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent	USPAT; EPO; JPO	2003/12/22 16:45
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and absorber	USPAT; EPO; JPO	2003/12/22 16:45
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and protrusion	USPAT; EPO; JPO	2003/12/22 16:45
-	0	(electroluminescence or EL) adj display adj device and protrusion and absorber	USPAT; EPO; JPO	2003/12/22 16:46
-	14	(electroluminescence or EL) adj display adj device and protrusion	USPAT; EPO; JPO	2003/12/27 13:39
-	3	(electroluminescence or EL) adj display adj device and absorber	USPAT; EPO; JPO	2003/12/23 10:59
-	0	(electroluminescence or EL) adj display adj device and protrusion and absorber	USPAT; EPO; JPO	2003/12/23 08:23
-	0	(electroluminescence or EL) adj display adj device and protrusion and supres\$6	USPAT; EPO; JPO	2003/12/23 08:42
-	1	5,278,779.pn.	USPAT; EPO; JPO	2003/12/23 10:22
-	0	(electroluminescence or EL) adj display adj device and absorber and powder	USPAT; EPO; JPO	2003/12/23 11:00
-	3	(electroluminescence or EL) adj display adj device and absorber	USPAT; EPO; JPO	2003/12/23 11:00
-	14	(electroluminescence or EL) adj display adj device and protrusion	USPAT; EPO; JPO	2003/12/23 13:40
-	14	(electroluminescence or EL) adj display adj device and protrusion and matrix	USPAT; EPO; JPO	2003/12/23 13:41
-	14	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6	USPAT; EPO; JPO	2003/12/23 13:41
-	3	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape	USPAT; EPO; JPO	2003/12/23 13:42
-	0	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and plate	USPAT; EPO; JPO	2003/12/23 13:42
-	0	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pack\$7	USPAT; EPO; JPO	2003/12/23 13:42
-	3	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel	USPAT; EPO; JPO	2003/12/23 13:43

-	3	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel and electrod\$3	USPAT; EPO; JPO	2003/12/23 13:43
-	0	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel and electrod\$3 and palnar	USPAT; EPO; JPO	2003/12/23 13:44
-	0	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel and electrod\$3 and paper and teflon	USPAT; EPO; JPO	2003/12/23 13:44
-	0	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel and electrod\$3 and teflon	USPAT; EPO; JPO	2003/12/23 13:45
-	0	(electroluminescence or EL) adj display adj device and protrusion and teflon	USPAT; EPO; JPO	2003/12/23 13:45
-	0	(electroluminescence or EL) adj display adj device and teflon and paper	USPAT; EPO; JPO	2003/12/23 13:46
-	1	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square and shape and pixel and electrod\$3 and paper	USPAT; EPO; JPO	2003/12/23 13:46
-	0	(electroluminescence or EL) adj display adj device and teflon and plate and packag\$5	USPAT; EPO; JPO	2003/12/23 13:52
-	0	(electroluminescence or EL) adj display adj device and teflon and plate and canister	USPAT; EPO; JPO	2003/12/23 13:52
-	273	(electroluminescence or EL) adj display adj device and plate	USPAT; EPO; JPO	2003/12/23 13:52
-	29	(electroluminescence or EL) adj display adj device and plate and packag\$5	USPAT; EPO; JPO	2003/12/23 13:53
-	1	(electroluminescence or EL) adj display adj device and plate and packag\$5 and bend	USPAT; EPO; JPO	2003/12/23 16:20
-	6	(electroluminescence or EL) adj display adj device and teflon and plate	USPAT; EPO; JPO	2003/12/23 13:58
-	6	(electroluminescence or EL) adj display adj device and teflon	USPAT; EPO; JPO	2003/12/23 13:56
-	6	(electroluminescence or EL) adj display adj device and teflon	USPAT; EPO; JPO	2003/12/23 15:44
-	0	(electroluminescence or EL) adj display adj device and plate and packag\$5 and bend and semi-transparent	USPAT; EPO; JPO	2003/12/23 15:56
-	14	(electroluminescence or EL) adj display adj device and semi-transparent	USPAT; EPO; JPO	2003/12/27 13:38
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon	USPAT; EPO; JPO	2003/12/23 16:09
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer	USPAT; EPO; JPO	2003/12/23 15:58
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and first adj electrode\$1	USPAT; EPO; JPO	2003/12/23 15:58
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and film and spacer	USPAT; EPO; JPO	2003/12/23 16:03
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and film and spacer and bend\$5	USPAT; EPO; JPO	2003/12/23 16:03

-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and film and spacer and shape	USPAT; EPO; JPO	2003/12/23 16:03
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and spacer and shape	USPAT; EPO; JPO	2003/12/23 16:10
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate	USPAT; EPO; JPO	2003/12/27 16:15
-	16382	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land film and spacer and shape	USPAT; EPO; JPO	2003/12/23 16:11
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and film and spacer and shape	USPAT; EPO; JPO	2003/12/23 16:10
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and film and spacer and plate	USPAT; EPO; JPO	2003/12/23 16:10
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and film and spacer	USPAT; EPO; JPO	2003/12/23 16:11
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and spacer	USPAT; EPO; JPO	2003/12/23 16:11
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and plate and film and shape	USPAT; EPO; JPO	2003/12/23 16:11
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$land and plate	USPAT; EPO; JPO	2003/12/23 16:11
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate	USPAT; EPO; JPO	2003/12/23 16:12
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/27 13:33
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and shape	USPAT; EPO; JPO	2003/12/23 16:12
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/24 08:20
-	1	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend	USPAT; EPO; JPO	2003/12/24 08:33
-	0	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/23 16:21
-	0	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and semi-transparent	USPAT; EPO; JPO	2003/12/23 16:21

-	0	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and teflon and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/23 16:21
-	3726	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/23 16:21
-	0	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/23 16:21
-	4	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate	USPAT; EPO; JPO	2003/12/23 16:59
-	3	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and shape	USPAT; EPO; JPO	2003/12/23 16:59
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and shape and bend\$4	USPAT; EPO; JPO	2003/12/23 16:59
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/23 17:03
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/24 08:17
-	0	electroluminescence adj display adj device and transparent adj substrate and first adj electrode\$1 and electroluminescence adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/24 08:18
-	0	electroluminescence adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/24 08:18
-	1	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/27 13:29
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and spacer	USPAT; EPO; JPO	2003/12/24 08:21
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and absorber	USPAT; EPO; JPO	2003/12/24 08:21
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and bend\$1	USPAT; EPO; JPO	2003/12/24 08:21

-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film	USPAT; EPO; JPO	2003/12/24 08:23
-	0	(electroluminescence or EL) adj display adj device and plate and package\$5 and bend and shape	USPAT; EPO; JPO	2003/12/24 08:32
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate	USPAT; EPO; JPO	2003/12/24 08:33
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and shape	USPAT; EPO; JPO	2003/12/24 08:34
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and bend\$4	USPAT; EPO; JPO	2003/12/24 08:34
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and spacer	USPAT; EPO; JPO	2003/12/24 08:34
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and absorber	USPAT; EPO; JPO	2003/12/24 08:35
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1	USPAT; EPO; JPO	2003/12/24 08:36
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and adhesive	USPAT; EPO; JPO	2003/12/24 08:36
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and adhesive	USPAT; EPO; JPO	2003/12/24 12:53
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and adhesive and (absorber or spacer)	USPAT; EPO; JPO	2003/12/24 08:37
-	1	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and adhesive	USPAT; EPO; JPO	2003/12/27 12:26
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential	USPAT; EPO; JPO	2003/12/27 12:26
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and (spacer or absorber)	USPAT; EPO; JPO	2003/12/24 08:41
-	0	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer and sequential	USPAT; EPO; JPO	2003/12/24 08:42
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and teflon	USPAT; EPO; JPO	2003/12/24 08:43

-	0	EL display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer and absorber	USPAT; EPO; JPO	2003/12/24 08:45
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential	USPAT; EPO; JPO	2003/12/24 08:49
-	1	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/27 13:28
-	2	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and spacer	USPAT; EPO; JPO	2003/12/24 08:46
-	2	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and (spacer or absorber)	USPAT; EPO; JPO	2003/12/24 08:46
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and plate and (spacer and absorber)	USPAT; EPO; JPO	2003/12/24 08:46
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and spacer	USPAT; EPO; JPO	2003/12/24 08:47
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and spacer and sequential	USPAT; EPO; JPO	2003/12/24 08:48
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and spacer and shape and bend\$4	USPAT; EPO; JPO	2003/12/24 08:48
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and electrode\$1 and absorber and plate and spacer and shape	USPAT; EPO; JPO	2003/12/24 08:48
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and pixel	USPAT; EPO; JPO	2003/12/24 08:50
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:05
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 adj sequential and pixel and matrix	USPAT; EPO; JPO	2003/12/24 08:59

-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 adj sequential adj dispos\$4 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:00
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and second adj electrode\$1 adj sequential adj dispos\$4 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:00
-	0	(electroluminescence or EL) adj display adj device and second adj electrode\$1 adj sequential adj dispos\$4 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:00
-	0	(electroluminescence or EL) adj display adj device and second adj electrode\$1 adj sequential adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:00
-	0	(electroluminescence or EL) adj display adj device and second adj electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:01
-	0	display adj device and second adj electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:01
-	0	display and second adj electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:01
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and electrode\$1 and sequential adj dispos\$4 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:02
-	5	display and electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:12
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:06
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and first adj electrode\$1 and second adj electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:06
-	2	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:32
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and spacer	USPAT; EPO; JPO	2003/12/24 09:07
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and absorber	USPAT; EPO; JPO	2003/12/24 09:07
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and teflon	USPAT; EPO; JPO	2003/12/24 09:07
-	2	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:11

-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and protrusion	USPAT; EPO; JPO	2003/12/24 09:12
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and protrusion	USPAT; EPO; JPO	2003/12/24 09:12
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and protrusion\$1	USPAT; EPO; JPO	2003/12/24 09:12
-	0	(electroluminescence or EL) adj display adj device and protrusion and electrode\$1 adj sequential\$4 adj dispos\$4 and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:28
-	0	(electroluminescence or EL) adj display adj device and protrusion and electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:28
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and pixel and matrix and protrusion\$1	USPAT; EPO; JPO	2003/12/24 09:29
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and protrusion\$1	USPAT; EPO; JPO	2003/12/24 09:32
-	0	display and electrode\$1 adj sequential\$4 adj dispos\$4 and electroluminescence and transparent adj substrate and electrode\$1 and pixel and matrix and 313/504.ccls.	USPAT; EPO; JPO	2003/12/24 09:33
-	7	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 10:36
-	4	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate	USPAT; EPO; JPO	2003/12/24 09:37
-	0	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:37
-	0	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and (electroluminescence or EL) adj layer and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:37
-	4	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:38
-	71488	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and pixel and matrix and spacer or absorber	USPAT; EPO; JPO	2003/12/24 09:38
-	0	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and pixel and matrix and (spacer or absorber)	USPAT; EPO; JPO	2003/12/24 09:38
-	0	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and pixel and matrix and teflon	USPAT; EPO; JPO	2003/12/24 09:38

-	0	(electroluminescence or EL) adj display adj device and protrusion and transparent adj substrate and electrode\$1 and pixel and matrix and plate	USPAT; EPO; JPO	2003/12/24 09:38
-	5	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 09:39
-	0	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix and electrode\$1 adj sequential\$4 adj dispos\$4	USPAT; EPO; JPO	2003/12/24 09:39
-	0	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix and electrode\$1 adj sequential\$4	USPAT; EPO; JPO	2003/12/24 09:39
-	0	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix and sequential\$4	USPAT; EPO; JPO	2003/12/24 09:39
-	5	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix	USPAT; EPO; JPO	2003/12/24 12:38
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and pixel and matrix and protrusion\$1	USPAT; EPO; JPO	2003/12/24 10:37
-	3	(electroluminescence or EL) adj display adj device and protrusion and matrix and circ\$6 and square	USPAT; EPO; JPO	2003/12/24 10:42
-	1	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix	USPAT; EPO; JPO	2003/12/24 10:46
-	1	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel	USPAT; EPO; JPO	2003/12/24 10:47
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel and (spacer or absorber)	USPAT; EPO; JPO	2003/12/24 10:47
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel and protrusion\$1	USPAT; EPO; JPO	2003/12/24 10:47
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel and adhesive	USPAT; EPO; JPO	2003/12/24 10:48
-	0	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel and adhesive	USPAT; EPO; JPO	2003/12/24 10:48
-	1	(electroluminescence or EL) adj display adj device and first adj electrode\$1 and second adj electrode\$1 and dispose\$3 and sequential and transparent and bond\$4 and matrix and pixel	USPAT; EPO; JPO	2003/12/27 16:13

-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel	USPAT; EPO; JPO	2003/12/24 12:21
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and powder adj material	USPAT; EPO; JPO	2003/12/24 12:21
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and powder	USPAT; EPO; JPO	2003/12/24 12:21
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and fine\$4	USPAT; EPO; JPO	2003/12/24 12:22
-	1	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material	USPAT; EPO; JPO	2003/12/27 13:32
-	1	(electroluminescence or EL) adj display adj device and protrusion\$1 and transparent adj substrate and electrode\$1 and pixel and matrix and plate	USPAT; EPO; JPO	2003/12/24 12:38
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material and plate	USPAT; EPO; JPO	2003/12/24 12:38
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and plate and electrode\$1 and adhesive and spacer	USPAT; EPO; JPO	2003/12/24 12:53
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material and spacer	USPAT; EPO; JPO	2003/12/24 12:55
-	0	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer and semi-transparent	USPAT; EPO; JPO	2003/12/27 13:29
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material and spacer	USPAT; EPO; JPO	2003/12/27 13:32

-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material and semitransparent	USPAT; EPO; JPO	2003/12/27 13:32
-	0	(electroluminescence or EL) adj display adj device and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer and second adj electrode\$1 and sequential and transparent and bond\$4 and matrix and pixel and material and semi-transparent	USPAT; EPO; JPO	2003/12/27 13:33
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and absorber	USPAT; EPO; JPO	2003/12/27 13:33
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and electrode\$1 and plate and film and spacer	USPAT; EPO; JPO	2003/12/27 13:33
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and spacer	USPAT; EPO; JPO	2003/12/27 13:38
-	3	(electroluminescence or EL) adj display adj device and protrusion and spacer	USPAT; EPO; JPO	2003/12/27 14:53
-	0	(electroluminescence or EL) adj display adj device and protrusion and spacer and semi-transparent	USPAT; EPO; JPO	2003/12/27 13:48
-	0	(electroluminescence or EL) adj display adj device and protrusion and spacer and sequential	USPAT; EPO; JPO	2003/12/27 13:51
-	1	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer	USPAT; EPO; JPO	2003/12/27 14:53
-	0	EL adj display adj device and transparent adj substrate and first adj electrode\$1 and EL adj layer and second adj electrode\$1 and plate and shape and spacer and powder\$4 adj form	USPAT; EPO; JPO	2003/12/27 14:53
-	0	(electroluminescence or EL) adj display adj device and protrusion and spacer and powder\$4	USPAT; EPO; JPO	2003/12/27 14:54
-	3	(electroluminescence or EL) adj display adj device and protrusion and spacer	USPAT; EPO; JPO	2003/12/27 16:17
-	0	(electroluminescence or EL) adj display adj device and semi-transparent and teflon and transparent adj substrate and paper	USPAT; EPO; JPO	2003/12/27 16:16
-	0	(electroluminescence or EL) adj display adj device and teflon and paper	USPAT; EPO; JPO	2003/12/27 16:16
-	614614	(electroluminescence or EL) adj display adj device paper	USPAT; EPO; JPO	2003/12/27 16:17
-	74	(electroluminescence or EL) adj display adj device and paper	USPAT; EPO; JPO	2003/12/27 16:17
-	1	(electroluminescence or EL) adj display adj device and protrusion and spacer and paper	USPAT; EPO; JPO	2003/12/27 16:17
-	82	(electroluminescence or EL) adj display adj device and 345/76.ccls.	USPAT; EPO; JPO	2003/12/27 17:26
-	1	(electroluminescence or EL) adj display adj device and 345/76.ccls. and transparent adj substrate and first adj electrode\$1 and (electroluminescence or EL) adj layer	USPAT; EPO; JPO	2003/12/27 17:26